



SAFETY DATA SHEET

1. Identification of the preparation and of the company

Product name and/or code:	SYNTEKO WOOD FILLER
Chemical/technical name:	EXOTIC, LIGHT WOOD, WHITE OAK
Supplier:	Putty product Casco Liimid LLC Peterburi tee 101 Tallinn, 13812 Estonia Tel:+372 605 40 16 Fax:+372 605 40 15 www.casco.ee
Emergency telephone number:	112
Poison centre:	6269390, direct number 16662
Intended use:	For leveling out of ragged surfaces. For further information see product data sheet.

2. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification:	Not classified
Human health hazards:	This preparation is not classified as dangerous according to the EC Directive 1999/45/EC
Fire hazards:	Not flammable

3. Composition/information on ingredients

Chemical characterization

Description: Mixture of substances listed below with nonhazardous additions.

Ingredient name	CAS number	EC number	Concentration %	Classification
Aluminium silicate	12141-46-7	235-253-8	1-5	R36/37
Benzisothiazoline-3-one(1,2-)	2634-33-5	2634-33-5	<0,05	Xn; R22 Xi; R38-41 R43 N; R50
Mixture of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one	55965-84-9	220-239-6	<0,0015	T; R23/24/25 C; R34-R43 N; R50-53

Additional information: For the wording of the listed risk phrases refer to section 16.

4. First-aid measures

General:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation:	If inhaled, remove to fresh air. Get medical attention if irritation occurs.
Ingestion:	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest.
Skin contact:	Wash contaminated skin with soap and water. Get medical attention if irritation develops.

SAFETY DATA SHEET

5. Fire-fighting measures

Suitable:	Alcohol resistant foam, CO ₂ , powders, water spray.
Not to be used:	Do not use a heavy water stream.
Recommendations:	Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA).

6. Accidental release measures

Personal precautions:	Use suitable protective equipment (section 8).
Environmental precautions:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Methods for cleaning up:	Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Do not allow to enter drains or watercourses.

7. Handling and storage

Handling:	Use only with adequate ventilation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Treatments such as sanding, welding, burning off, etc. of paint films may generate hazardous dust and/or fumes. Work in well ventilated areas. Use suitable personal (respiratory) protective equipment, as necessary. Comply with the health and safety at work laws.
Storage:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Do not empty into drains. Observe label precautions. Store at a temperature above 0°C.
<u>Packaging materials:</u> Recommended:	Use original container. Keep container tightly closed.

8. Exposure controls/personal protection

<u>Exposure limit values:</u>	n.a.
Recommended monitoring procedures <u>Exposure controls</u>	Provide adequate ventilation.
Respiratory protection:	Wear appropriate respirator when ventilation is inadequate.
Hand protection:	Gloves
Eye protection:	Safety glasses
Skin protection:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

General information

Appearance:	Pasty product
Colour:	Brown / Yellow
Odour:	Light odour

Important health, safety and environmental information

SAFETY DATA SHEET

pH: --
Flash point (°C): >61 °C
VOC (g/l) Exotic 7,6
Density (kg/dm³): 1,65
Solubility: Dilutable in water.

10. Stability and reactivity

Stability: Stable under recommended storage and handling conditions (see section 7).

11. Toxicological information

There are no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly. See Sections 2 and 15 for details.

Skin contact: Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.
Eye contact: The liquid splashed in the eyes may cause irritation and reversible damage.

12. Ecological information

There are no data available on the preparation itself.
The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.
Additional information: This product contains 7,6 g/l VOC

13. Disposal considerations

Methods of disposal: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Waste classification (EWC): 08 01 12 waste adhesives and sealants other than those mentioned in 08 04 09
15 01 02 plastic packaging

14. Transport information

This preparation is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

15. Regulatory information

Labelling according to EU guidelines:

Hazard symbol/symbols: --
Risk phrases: --
Safety phrases: S 2 Keep out of reach of children
S 24/25 Avoid contact with skin and eyes
S 29 Do not empty into drains

SAFETY DATA SHEET

S 46

If swallowed, seek medical advice immediately and show this container or label

16. Other information

Full text of R-phrases referred to in sections 2 and 3:

R22 Harmful if swallowed.
R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
R34 Causes burns.
R36/37 Irritating to eyes and respiratory system.
R38 Irritating to skin.
R41 Risk of serious damage to eyes.
R43 May cause sensitization by skin contact.
R50 Very toxic to aquatic organisms.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Date of issue: 29.01.2010
Date of previous issue: 22.03.2006
Version: 3

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.